



अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION
(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No. 06/02/OR/ENGG/2004/002
September 19, 2005

To
Commissioner Cum Secretary
Industrial Department
Govt. of Orissa, Secretariat
Bhubaneswar- 751001

Sub: AICTE approval to N.M. INSTITUTE OF ENGG & TECH, SIJUA, POST: PATRAPADA,,
KHANDAGIRI, BHUBANESWAR, ORISSA, for the Academic year 2005-06.

Ref.: Council's Letter of even No. dated 25.06.2005

Sir/Madam,

This is in continuation to Council's letter of even no. dt. 25.06.2005 on the subject cited above. The appeal (along with the relevant documentary evidence) submitted by the institute for reconsideration of its proposal for increase in intake / additional course/ variation in intake / PG programme has been processed as per laid down procedure, guidelines, policy and / or norms & standards of AICTE as displayed in AICTE website on 29th August 2005".

Based on the recommendation of Appellate Committee & EC-Sub Committee, the All India Council for Technical Education (AICTE) is pleased to accord approval to N.M. INSTITUTE OF ENGG & TECH, SIJUA, POST: PATRAPADA,, KHANDAGIRI, BHUBANESWAR, ORISSA for Introduction of new course(s)/ Variation in intake (Increase/Decrease). The annual intake for the academic year 2005-2006 is as given below:

FULL TIME COURSE(S)	Existing Annual Intake for 2005-06	Revised Approved Intake for 2005-06
ELECTRONICS & COMM ENGG.	60	90
ELECTRICAL & ELECTRONICS ENGG.	60	60
MECHANICAL ENGG.	60	60
INSTRUMENTATION & CONTROL ENGG.	00	30
COMPUTER SCIENCE & ENGG	240.	60
TOTAL		300

Note: *The variation (wherever applicable) with respect to existing approved intake in a branch for the year 2005-2006 shall be effective only if the College has not admitted more students than the revised approved intake through counseling and admission against management quota.

The above approval is subject to fulfillment of following specific conditions:

1. For the additional course/ increase in intake sanctioned above, the required faculty must be recruited and their joining report Biodata along with photograph be sent.
2. The space requirement for the additional intake / increase in intake sanctioned should be made available. The proof of creation of required space alongwith necessary documentary evidence should be sent.

8/14/05
[Signature]

3. Required facilities such as laboratory, computer, library, books, Journals etc be provided and proof thereof be sent
4. The compliance on (1)-(3) above be sent to Regional Office latest by 31/12/2005
5. AICTE reserves the right to conduct surprise inspection to verify the compliance already submitted by the institution by 31/08/2005 and take suitable action as it may deem fit.

All the other conditions as communicated in Council's earlier approval letter remains unchanged.

The admission against this approved intake for the academic year 2005-2006 shall be governed by the Admission norms laid down by the concerned Government and University authorities. The approved intake is valid only for the academic year 2005-2006.

In the event of infringement / contravention or non-compliance of the above conditions and / or the provision or AICTE Act & Regulations / Guidelines / Norms & Standards as prescribed by AICTE, further actions leading to "Reduced Intake" or "No Admission" or "Withdrawal of Approval" may be taken by AICTE and the liability arising out of such actions will be solely that of the Management of the Institutions.

Yours faithfully,



(Dr. P. Venkateswara Rao)
Adviser (UG/ PG)

Copy to:

- The Principal,
N.M. INSTITUTE OF ENGG & TECH
SIJUA, POST: PATRAPADA,, KHANDAGIRI,
BHUBANESWAR, ORISSA
- The Regional officer , Eastern Regional Office, AICTE, College of Leather Technology Campus,
Salt Lake City, Sector-III, Kolkata- 700098.
- The Registrar, Concerned University
(He is requested to complete the process of affiliation for facilitating admissions).
- Director of Technical Education & Industrial Training, Govt of Orissa,, Killa Maidan Cuttack-
753001.
- Guard File Bureau (UG/PG)